

## High Solutions, LLC

5630 Spencer Rd  
Spencer, OK 73084  
staff@highsolutionsok.com  
(405) 388-3910  
Lic. #PAAA-4JIA-YAHK

## Sample: 2312HGL6554.25912

Strain: Cured Resin - Rainbow Belts - (g)  
Date Received: 01/08/2024  
Date Sampled: 01/08/2024; Report Created: 01/12/2024  
Concentrates & Extracts, Other  
Primary Sample Size: 2g

### Cured Resin - Rainbow Belts - (g)

metrc Source Package#: 1A40E01000068B8000004975  
metrc Package#: 1A40E01000068B8000004981  
Harvest or Production Batch#: RBB12.28.23  
Lot#:



## Cannabinoids


Complete

Total THC: 69.52%

Total CBD: <LOQ  
Total Cannabinoids: 69.97%

Analyte	LOQ %	Mass %	Mass mg/g
THCa	0.19	74.45	744.5
Δ9-THC	0.19	4.22	42.2
Δ8-THC	0.19	ND	ND
THCV	0.19	ND	ND
CBDa	0.19	<LOQ	<LOQ
CBD	0.19	<LOQ	<LOQ
CBDV	0.19	ND	ND
CBN	0.19	ND	ND
CBGa	0.19	0.52	5.2
CBG	0.19	<LOQ	<LOQ
CBC	0.19	ND	ND

Legend: CBGa (blue), Δ9-THC (teal), THCa (green)



Date Tested: 01/12/2024  
Analysis performed on Agilent Infinity II 1260 HPLC  
Total THC = THCa \* 0.877 + d9-THC  
Total CBD = CBDa \* 0.877 + CBD  
LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



2200 S Prospect Ave  
Oklahoma City, OK  
(405) 930-6200  
highgradelabs.com  
Lic# LAAA-NKSE-J8CM



*Ryan D Crist*

Ryan Crist  
Laboratory Director

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



## High Solutions, LLC

5630 Spencer Rd  
Spencer, OK 73084  
staff@highsolutionsok.com  
(405) 388-3910  
Lic. #PAAA-4JIA-YAHK

## Sample: 2312HGL6554.25912



Strain: Cured Resin - Rainbow Belts - (g)  
Date Received: 01/08/2024  
Date Sampled: 01/08/2024; Report Created: 01/12/2024  
Concentrates & Extracts, Other  
Primary Sample Size: 2g

### Cured Resin - Rainbow Belts - (g)


metrc Source Package#: 1A40E01000068B8000004975  
metrc Package#: 1A40E01000068B8000004981  
Harvest or Production Batch#: RBB12.28.23  
Lot#:



### Terpenes



### Primary Aromas



Analyte	LOQ	Mass	Mass
	%	%	mg/g
β-Caryophyllene	0.02	1.62	16.2
α-Humulene	0.02	0.45	4.5
Nerolidol	0.02	0.41	4.1
Limonene	0.02	0.37	3.7
α-Cedrene	0.02	0.29	2.9
Valencene	0.02	0.21	2.1
Endo-Fenchyl Alcohol	0.02	0.18	1.8
α-Terpineol	0.02	0.11	1.1
β-Myrcene	0.02	0.09	0.9
α-Bisabolol	0.02	0.08	0.8
β-Pinene	0.02	0.06	0.6
α-Pinene	0.02	0.05	0.5
Ocimene	0.02	0.04	0.4
Terpinolene	0.02	0.03	0.3
Caryophyllene Oxide	0.02	0.03	0.3
Eucalyptol	0.02	0.02	0.2
α-Phellandrene	0.02	ND	ND
α-Terpinene	0.02	ND	ND
Borneol	0.02	ND	ND
Camphene	0.02	<LOQ	<LOQ
Camphor	0.02	ND	ND
Cedrol	0.02	ND	ND
δ-3-Carene	0.02	ND	ND
Farnesene	0.02	ND	ND
Fenchone	0.02	ND	ND
γ-Terpinene	0.02	ND	ND
γ-Terpineol	0.02	ND	ND
Geraniol	0.02	ND	ND
Geranyl Acetate	0.02	ND	ND
Guaiol	0.02	<LOQ	<LOQ
Hexahydro Thymol	0.02	<LOQ	<LOQ
Isoborneol	0.02	ND	ND
Isopulegol	0.02	ND	ND
Linalool	0.02	ND	ND
Nerol	0.02	ND	ND
Phytol	0.02	ND	ND
Pulegone	0.02	ND	ND
Sabinene	0.02	ND	ND
Sabinene Hydrate	0.02	ND	ND
<b>Total</b>		<b>4.03</b>	<b>40.3</b>

Date Tested: 01/12/2024; Analysis performed on Agilent 7890A GCFID  
LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



2200 S Prospect Ave  
Oklahoma City, OK  
(405) 930-6200  
highgradelabs.com  
Lic# LAAA-NKSE-J8CM



*Ryan D Crist*

Ryan Crist  
Laboratory Director

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com





# Certificate of Analysis

Powered by Confident LIMS  
3 of 5

## High Solutions, LLC

5630 Spencer Rd  
Spencer, OK 73084  
staff@highsolutionsokc.com  
(405) 388-3910  
Lic. #PAAA-4JIA-YAHK

## Sample: 2312HGL6554.25912

Strain: Cured Resin - Rainbow Belts - (g)  
Date Received: 01/08/2024  
Date Sampled: 01/08/2024; Report Created: 01/12/2024  
Concentrates & Extracts, Other  
Primary Sample Size: 2g

## Cured Resin - Rainbow Belts - (g)

metrc Source Package#: 1A40E01000068B8000004975  
metrc Package#: 1A40E01000068B8000004981  
Harvest or Production Batch#: RBB12.28.23  
Lot#:



## Microbials

Pass

Analyte	Limit	Results	Status
	CFU/g	CFU/g	
	10000	ND	Pass
Yeast & Mold	1	ND	Pass
Shiga Toxin E. Coli	1	ND	Pass
Salmonella	1	ND	Pass
Aspergillus niger	1	ND	Pass
Aspergillus fumigatus	1	ND	Pass
Aspergillus terreus	1	ND	Pass
Aspergillus flavus	1	ND	Pass

Pathogen Extraction Mass: g  
Yeast/Mold and E. coli Extraction Mass: g  
Date Tested: 01/12/2024

ND = Not Detected; E. coli test performed on 3M Petrifilm E. coli/Coliform Plates. Salmonella test performed on 3M MDS system. Yeast and Mold test performed on 3M Petrifilm Rapid Yeast and Mold Plate. Aspergillus test performed on Agilent AriaMX Real-Time PCR System. TNTC = Too Numerous to Count; Samples are reported using simple acceptance.

## Heavy Metals

Pass

Analyte	LOQ	Limit	Results	Status
	PPB	PPB	PPB	
Arsenic	25	200	ND	Pass
Cadmium	25	200	ND	Pass
Lead	25	500	ND	Pass
Mercury	10	100	<LOQ	Pass

Date Tested: 01/10/2024

Analysis performed on Agilent 7800 ICP-MS

LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Samples are reported using simple acceptance.

## Foreign Matter

Pass

Date Tested: 01/10/2024

Notes: ND = Not Detected; Analysis performed by visual inspection in accordance with laboratory SOP 305. Samples are reported using simple acceptance.

### Foreign Organic Materials

### Foreign Inorganic Materials

0%  
Limit: 2%

0%  
Limit: 0%

Date Tested:

Date Tested:



2200 S Prospect Ave  
Oklahoma City, OK  
(405) 930-6200  
highgradelabs.com  
Lic# LAAA-NKSE-J8CM



*Ryan D Crist*

Ryan Crist  
Laboratory Director

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01



# Certificate of Analysis

Powered by Confident LIMS  
4 of 5

## High Solutions, LLC

5630 Spencer Rd  
Spencer, OK 73084  
staff@highsolutionsokc.com  
(405) 388-3910  
Lic. #PAAA-4JIA-YAHK

## Sample: 2312HGL6554.25912

Strain: Cured Resin - Rainbow Belts - (g)  
Date Received: 01/08/2024  
Date Sampled: 01/08/2024; Report Created: 01/12/2024  
Concentrates & Extracts, Other  
Primary Sample Size: 2g

## Cured Resin - Rainbow Belts - (g)

metrc Source Package#: 1A40E01000068B8000004975  
metrc Package#: 1A40E01000068B8000004981  
Harvest or Production Batch#: RBB12.28.23  
Lot#:



## Solvents

Pass

Analyte	LOQ	Limit	Units	Status	Analyte	LOQ	Limit	Units	Status
	PPM	PPM	PPM			PPM	PPM	PPM	
Acetone	25.000	1000.000	ND	Pass	Methanol	25.000	600.000	ND	Pass
Benzene	1.000	2.000	ND	Pass	n-Hexane	5.000	60.000	ND	Pass
Butanes	25.000	1000.000	193.200	Pass	Pentane	25.000	1000.000	ND	Pass
Ethanol	25.000	5000.000	ND	Pass	Propane	25.000	1000.000	ND	Pass
Ethyl-Acetate	25.000	1000.000	ND	Pass	Toluene	25.000	180.000	ND	Pass
Heptanes	25.000	1000.000	ND	Pass	Xylenes	25.000	430.000	ND	Pass
Isopropanol	25.000	1000.000	ND	Pass					

Date Tested: 01/12/2024

Notes:

Analysis performed on Agilent 7697A Headspace / 7890B GC / 5977B MS

LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Samples are reported using simple acceptance.



2200 S Prospect Ave  
Oklahoma City, OK  
(405) 930-6200  
highgradelabs.com  
Lic# LAAA-NKSE-J8CM



*Ryan D Crist*

Ryan Crist  
Laboratory Director

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01



# Certificate of Analysis

Powered by Confident LIMS  
5 of 5

## High Solutions, LLC

5630 Spencer Rd  
Spencer, OK 73084  
staff@highsolutionsokc.com  
(405) 388-3910  
Lic. #PAAA-4JIA-YAHK

## Sample: 2312HGL6554.25912

Strain: Cured Resin - Rainbow Belts - (g)  
Date Received: 01/08/2024  
Date Sampled: 01/08/2024; Report Created: 01/12/2024  
Concentrates & Extracts, Other  
Primary Sample Size: 2g

## Cured Resin - Rainbow Belts - (g)

metrc Source Package#: 1A40E01000068B8000004975  
metrc Package#: 1A40E01000068B8000004981  
Harvest or Production Batch#: RBB12.28.23  
Lot#:



## Pesticides

Pass

Analyte	LOQ	Limit	Units	Status	Analyte	LOQ	Limit	Units	Status
	PPM	PPM	PPM			PPM	PPM	PPM	
Abamectin	0.025	0.500	ND	Pass	Myclobutanil	0.025	0.200	ND	Pass
Azoxystrobin	0.025	0.200	ND	Pass	Permethrins	0.025	0.200	0.079	Pass
Bifenazate	0.025	0.200	ND	Pass	Spinosad	0.025	0.200	ND	Pass
Etoazole	0.025	0.200	ND	Pass	Spiromesifen	0.025	0.200	ND	Pass
Imazalil	0.025	0.200	ND	Pass	Spirotetramat	0.025	0.200	ND	Pass
Imidacloprid	0.025	0.400	ND	Pass	Tebuconazole	0.025	0.400	ND	Pass
Malathion	0.025	0.200	ND	Pass					

Date Tested: 01/11/2024

Notes:

Analysis performed on Agilent Infinity II 1260 / 6470 Triple Quadrupole LC/MS

LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Samples are reported using simple acceptance.

## Mycotoxins

Pass

Analyte	LOQ	Limit	Mass	Status
	PPB	PPB	PPB	
Aflatoxins	2.50	20.00	ND	Pass
Ochratoxin A	2.50	20.00	ND	Pass

Date Tested: 01/11/2024

Notes:

Analysis performed on Agilent Infinity II 1260 / 6470 Triple Quadrupole LC/MS. LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



2200 S Prospect Ave  
Oklahoma City, OK  
(405) 930-6200  
highgradelabs.com  
Lic# LAAA-NKSE-J8CM



*Ryan D Crist*

Ryan Crist  
Laboratory Director

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



This product has been tested by Highgrade Labs in accordance with industry standards for laboratory testing and in compliance with all laws and regulations. Values reported relate only to the sample tested. Samples were tested on an as-received basis. Highgrade Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Highgrade Labs. The pass/fail limits for contaminants are set by the applicable state laws and regulations. Sample ID with R1 at the end indicates that the sample has been retested. Highgrade Labs is ISO 17025:2017 accredited by A2LA, certificate number 5861.01